Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2157	709/238,246.ccls. and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/16 09:37
L3	51	709/238,246.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/16 09:37
S1	12543626	EP "02" "25" "2570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 09:11
S2	0	"EP02222570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 09:11
S3	0.	"EP2222570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 09:11
S4	1	"EP02252570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:14
S5	0	"WO 01/61897"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:15
S6	0	"01/61897"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2005/05/11 11:15
S7	61	"61897"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2005/05/11 11:15

	Υ			r		
S8	0	"61897" and motorola	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:15
S9	105	MPLS and motorola	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:16
S10	62	MPLS and motorola and @ad<="20010920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:16
S11	1981	MPLS	US-PGPUB; USPAT	OR	OFF	2005/05/12 15:19
S12	423	"370"/\$.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:30
S13	267	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:52
S14	267	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:38
S15	606	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and MPLS	US-PGPUB; USPAT	OR	ON	2005/05/12 15:32
S16	571	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and multiplex\$3 with layer and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:32
S17	27	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and multiplex\$3 adj layer and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:45

S18	1	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 with IP with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:46
S19	1	"370"/471,473,474,389,465,466, 469.ccls. and oversize\$1 with IP with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:46
S20	7	"370"/471,473,474,389,465,466, 469.ccls. and oversize\$1 with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:46
S21	1	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversized with packet with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:52
S22	2	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversized with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:52
S23	2	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57
S24	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 and all with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57
S25	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and (header or overhead) with all with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57
S26	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and (header or overhead) with all with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57

					_	
S27	304	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and (header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:58
S28	1	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 with (header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:58
S29	304	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and(header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:58
S30 _	106	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and packet with(header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR .	ON	2005/05/12 15:58
S31	106	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and packet with (header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:59
S32	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and packet with (header or overhead) with zeros and oversize and @ad<="20010920"	US-PGPUB; USPAT	OR .	ON	2005/05/12 15:59
S33	34	oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:59
S34	1	oversized with packet with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 16:00
S35	34	oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 16:00
S36	2	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversized with packet with sequence and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:39

S37	0	oversized with packet with sequence with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:39
S38	.12	oversized with packet with sequence and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:41
S39	1	oversized with packet with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:41
S40	34	oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:51
S41	2	header with oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:06
S42	6	oversized adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
S43	. 0	oversized adj packet adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
S44	114	zero with packet adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
S45	0	all with zero with packet adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
S46	0	all with zero with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
S47	662	packet with header and sequence with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:08
S48	0	packet with header and sequence with all with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:08
S49	87	packet with header same sequence with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:09
S50	. 0	packet with header same sequence with zeros same oversize and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:08
S51	8	over-sized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:14
S52	0	over-sized with packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:09
S53	131	packet with sequence with number with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:15
S54	9	packet with sequence with number with zero with fragment and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:23
S55	0	over adj sized adj packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:23
S56	1	over adj sized adj packet same header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:30

S57	0	demultiplex\$3 with IP with packet with fremae with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:31
S58	3	demultiplex\$3 with IP with packet with frame with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:35
S59	83	demultiplex\$3 with IP with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:35
S60	12	demultiplex\$3 with IP with packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:49
S61	16	demultiplex\$3 with IP with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:41
S62	3	demultiplex\$3 with frame with IP with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:47
S63	1	demultiplex\$3 adj packet with frame with (overhead or header) and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:48
S64	5	demultiplex\$3 adj packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:48
S65	120	demultiplex\$3 with packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:03
·S66	352	demultiplex\$3 with packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:03
S67	. 22	demultiplex\$3 near2 packet near2 header and @ad<="20010920"	US-PGPUB; USPAT	OR .	ON	2005/05/13 15:08
S68	120	demultiplex\$3 with packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:15
S69	83	demultiplex\$3 with packet with IP and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:15
S70 .	0	demultiplex\$3 with packet with IP adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:16
S71	352	demultiplex\$3 with packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:24
S72	0	MPLS with lable with no with more with multiplexed and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:24
S73	0	MPLS with label with no with more with multiplexed and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:24
S74	66	MPLS with add\$3 with label and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:44
S75	7	MPLS with PPP with HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:54

S76	11	MPLS same PPP same HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 16:03
S77	5	MPLS and layer with HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 16:04
S78	22	MPLS and PPP with HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON .	2005/05/13 16:22
S79	15	MPLS and PPP with HDLC and frame with relay and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:05
S80	1	IP with overhead with demultiplex\$3 and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:06
S81	16	IP with header with demultiplex\$3 and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:06